

SugarCRM4IPBrick

iPortalMais

December 5, 2008

Contents

1	Requirements	3
2	Installing sugarcrm4ipbrick package	3
3	Access SugarCRM website	3
4	Importing IPBrick Users and Contacts	4

1 Requirements

- IPBrick v5.x

NOTE: No special update is required, but is recommended at least IPBrick 5.0.1 with all official updates till date

From here on, IPBrick's default values will be assumed. Replace it by your's IPBrick domain, IP, and credentials when necessary.

2 Installing sugarcrm4ipbrick package

- In a web-browser go to `https://192.168.69.199`
User:admin Pass:123456
- In the left menu go to
Advanced Settings->IPBrick->Update
- Insert `sugarcrm4ipbrick_v5.1.deb`
- When finish, press "Apply Configurations"

3 Access SugarCRM website

- After the successful update of the IPBrick configurations, point your browser to `http://sugarcrm.domain.com`
- By default only the administrator of IPBrick has access to SugarCRM. The credentials are User name:administrator Password:123




Figure 1: Login interface

4 Importing IPBrick Users and Contacts

- To import IPBrick Users, in SugarCRM interface go to: admin - User Management and on the left side is a link “Get from LDAP...”
- To import IPBrick Contacts, in SugarCRM interface go to: admin - Contacts Management and click on “Get from LDAP...”

NOTE: If IPBrick is an Active Directory member, while you can install the package, it is not possible to import users and contacts.




Figure 2: Administration interface